

SHIP'S MAIN PARTICULARS

NAME OF SHIP : M.V.“EASLINE YANTAI” (“大通烟台”轮)

TYPE: GEARLESS / CELLULAR CONTAINER SHIP

BUILT : Aug.1997 / JAPAN

CLASSIFICATION : NK

DEADWEIGHT /SUMMER DRAFT: 17,765MT / 8.916M

LIGHT WEIGHT: 6,117MT

GROSS/NET TONNAGE : 14,089/7,023

CALL SIGN / IMO NO / OFFICIAL REGIST.NO : 3EIK / 9153068 / 52451-PEXT

EMAIL: revert

MASTER'S E-MAIL ADDRESS IN PORTS: revert

FLAG / PORT OF REGISTRY : PANAMA / PANAMA

L.O.A./L.B.P./BREADTH: 163.70M/152.00M/26.00M

CARGO CAPACITY : IN HOLD 488TEU + 2FEU/ 232FEU + 33TEU

ON DECK 685TEU / 326FEU + 30TEU

TOTAL 1,173TEU + 2FEU/ 558FEU + 63TEU

STABILITY ABT 903TEU ON 14MT HOMOGENEOUS

STACK LOADS

In holds: 24mt per 20' Container & 30mt per 40'45' container

On deck: Hold No.1: 56.25mt per 20' and 67.50mt per 40'

Hold no.2-4: 75.00mt per 20' and 90.00mt per 40'

Upper Deck Aft: 49.70mt per 20'

REEFER CONTAINER : 150PLUGS(AC 440V)

TANKS CAPACITY : F.O.(300CST) 1,954CBM / M.D.O. 128CBM

WATER BALLAST 3,503CBM / F.W. 3749CBM

HOLDS/ HATCHES: 4 / 8

HATCHES TYPE: PONTOON TYPE

HATCHCOVERS: 16

MAIN ENGINE: Mitsubishi 7UEC50LS II / 9,627KW X 124RPM

AUX.ENGINE: 3 X 680KW

BOWTHRUSTOR: 1SET / 640KW

SPEED / CONSUMPTION OF M/E: 18.0knots / 30.30mt Hfo-380cst

15.0knots / 27.00mt Hfo-380cst

CONSUMPTION OF A/E : 2.50MT HFO at sea & 2.00MT HFO in port

